



American Diagnostic Center
مركز التشخيص الأمريكي
F. N. 3327662

Name [REDACTED] JANET - [REDACTED]
Dr. Private . DOB 01/01/1994 Female Registration Date 16/09/2020
Guarantor Private Exam No [REDACTED] Report Date 17/09/2020



Corona Virus 2019-ncov qualitative By Real-Time PCR

Machine: Multiplex real-time - PCR - CFX 96

Sample Type: Nasopharyngeal Swab

Result: Negative

RdRp Gene: Not Detected

E Gene: Not Detected


The lower limit of detection is 10 copies/ μ l.

An incorrect result can be caused by incorrect operations in sample collection, transportation or processing, very low concentration of target virus in the specimens, mutations within the viral genome covered by the kit primers and or probes.

This test showed no cross-reactivity with other coronaviruses.

Note: "A negative result doesn't exclude the possibility of COVID-19, especially in early disease" and recommends "follow-up with a medical health-care provider, continue to adhere to safety and isolation precautions, and eventually repeat testing in case of high disease suspicion".

Signature

332/602
Name [REDACTED] ROSELINE [REDACTED]
DOB 01/01/1997 Female Registration Date 16/09/2020
Dr. Private
Exam No [REDACTED] Report Date 17/09/2020
Guarantor Private


Corona Virus 2019-ncov qualitative By Real-Time PCR

Machine: Multiplex real-time - PCR - CFX 96

Sample Type: Nasopharyngeal Swab

Result: Negative

RdRp Gene: Not Detected
E Gene: Not Detected

The lower limit of detection is 10 copies/ μ l.
An incorrect result can be caused by incorrect operations in sample collection, transportation or processing
low concentration of target virus in the specimens, mutations within the viral genome covered by the kit
and or probes.
This test showed no cross-reactivity with other coronaviruses.

Note: "A negative result doesn't exclude the possibility of COVID-19, especially in early disease" and
recommends "follow-up with a medical health-care provider, continue to adhere to safety and isolation
precautions, and eventually repeat testing in case of high disease suspicion".

الأمريني سامية فرحات
مستشفى - العاصم العباسي
2019/9
Signal